The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23240

Stream : Little Eagle Creek

Applicant : Clay Township Regional Waste District

Candy Feltner

10701 North College Avenue, Suite A

Indianapolis, IN 46280-1098

Description : Approximately 11073 lineal feet of sanitary gravity sewer line will be installed by

the trenching method. The diameter of the pipe ranges from 8" up to 24". Ductile iron and PVC piping will both be used at various sites throughout the project limits. All the pipe will be placed a minimum of 5' below the bottom of the creek. The creek will be dammed and pumped around the three crossing points to limit sediment loss. The creek banks at each crossing will be stabilized with rip-rap over geo-textile and erosion mats. Details of the project are contained in plans and information received at the Division of Water on February 11, 2005, March 8,

2005, and June 13, 2005.

Location : Traversing the Little Eagle Creek floodplain beginning about 1550' west and 2400'

south of the Willow Avenue stream crossing extending upstream about 1.5 miles

DOWNSTREAM: near Zionsville, Eagle Township, Boone County NW¼, SW¼, NE¼, Section 25, T 18N, R 2E, Carmel Quadrangle

Quad Code: 3908682

UTM Coordinates: Downstream 4425661 North, 564128 East UPSTREAM: NW¼, NW¼, NW¼, Section 19, T 18N, R 3E

UTM Coordinates: Upstream 4427655 North, 564923 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 07/07/2005 9:03 AM

Application # : FW-23417

Stream : Fall Creek

Applicant : New Beginning Ministries

Bishop J Laverne Tyson 1703 East 38th Street

Indianapolis, IN 46218-1019

Description : Approximately 2 acres will be filled to a height between 3-6 feet for use as a

parking lot. The finished elevation will be 727' (NGVD '29). Details of the project are contained in information and plans received at the Division of Water on June

28, 2005.

Location : At the 38th Street stream crossing extending east to the railroad tracks and

northeast to 39th Street

DOWNSTREAM: near Indianapolis, Washington Township, Marion County SW¼, SW¼, SE¼, Section 18, T 16N, R 4E, Indianapolis East Quadrangle

Quad Code: 3908671

UTM Coordinates: Downstream 4408535 North, 574404 East

UPSTREAM:

UTM Coordinates: Upstream 4408684 North, 574535 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23421

Stream : Clarks Creek

Applicant : Town Of Plainfield

Don McGillem

206 West Main Street Plainfield, IN 46168-2525

Description : The existing 51'-6" single span prestressed concrete box beam bridge carrying

County Road 550 South over Clarks Creek will be removed and replaced with two new 48' long, 48' span three-sided twin arch structures. The structures will be built with an 8' gap in between to act as a median. The structures will carry the road and a 10' wide asphalt multi-use path (MUP) over the creek. The MUP will follow the existing ground profile except at the bridge. At the bridge, the MUP profile will require that some embankment fill be placed in the channel along the west bank. Other work in the channel will consist of the removal of the existing

structure foundations, the placement of the proposed reinforced concrete footings, and the placement of Class 1 riprap for scour protection underneath the proposed structure and at the structure ends. Some channel reshaping will be required to tie the structure ends back into the stream channel. Details of the project are contained in information and plans received at the Division of Water

on June 28, 2005.

Location : At the County Road 550 South (Reeves Road) stream crossing

near Plainfield, Guilford Township, Hendricks County

SW1/4, SE1/4, NW1/4, Section 1, T 14N, R 1E, Plainfield Quadrangle

Quad Code: 3908664

UTM Coordinates: Downstream 4392440 North, 553580 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23422

Stream : Jeff Branch

Applicant : Merwyn T Fisher

8096 East Blue River Road Pekin, IN 47165-8080

Description : Approximately 700' of channel at various locations will be cleared of sand and

gravel bars. The dredged material will be removed to an upland location. Details of the project are contained in information and plans received at the

Division of Water on June 30, 2005.

Location : Approximately 500' upstream (north) of the confluence with South Fork Blue River

and extending upstream approximately 4400'

DOWNSTREAM: near Pekin, Polk Township, Washington County

NW1/4, Section 15, T 10N, R 5E, South Boston Quadrangle

Quad Code: 3808558

UTM Coordinates: Downstream 4263877 North, 591407 East

UPSTREAM:

UTM Coordinates: Upstream 4265075 North, 591082 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-23424

Stream : St. Joseph River

Applicant : Christopher J Himes

2624 East Jackson Boulevard Elkhart, IN 46516-5054

Description : An existing concrete seawall will be refaced across 103' of applicants frontage on

St Joseph River. The refacing will consist of Northstar Vinyl sheetpiling anchored to deadmen 12' into the property from the shore line with a maximum thickness of 6". Details of the project are contained in information received electronically at

the Division of Water on July 5, 2005.

Location : 2624 East Jackson Boulevard

at Elkhart, Concord Township, Elkhart County

Section 3, T 37N, R 5E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23425

Stream : Mud Creek

Applicant : Fulton County Surveyor

Don Towne

125 East 9th Street

Rochester, IN 46975-1500

Description : The project consists of brushing and removing logiams and sand bars from

station 0+00 to 660+00 (1600' west of State Road 25), removing 1-5 feet of sediment from station 660+00 to 886+00; and lowering the culverts stations 740+00 and 842+00 (3.5 and 2.5 feet respectively). Details of the project are contained in information and plans received at the Division of Water on June 22,

2005.

Location : Beginning at the stream's confluence with the Tippecanoe River and continuing

upstream approximately 16 miles to the Nyona Lake dam

near Pershing, Liberty Township, Fulton County S½, Section 16, T 29N, R 3E, Pershing Quadrangle

Quad Code: 4108613

UTM Coordinates: Downstream 4551594 North, 554934 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23431

Stream : Bullerman Ditch

Applicant : Allen County Commisioners

Michael Fitch, P.E.

One West Superior Street Fort Wayne, IN 46802

Description

The project involves the rehabilitation of the existing three-span prestressed adjacent box beam bridge carrying Goeglein Road over Bullerman Ditch. The existing bituminous wearing surface will be milled off and a new microsilica concrete overlay will be placed. The existing sidewalk and aluminum rail will be removed and a new sidewalk and Texas bridge rail will be constructed. Additionally, new reinforced concrete approach slabs will be constructed along with approximately 75' of approach work on either side of the bridge. The current profile grade of the road will be maintained as much as possible, providing a minor grade increase due to the thickness of the overlay with respect to the existing asphalt wearing surface. The low structure elevation will remain the same and no channel work will be performed. This project will not affect the efficiency or the adequacy of the waterway. Details of the project are contained in information received electronically at the Division of Water on July 7, 2005.

Location

: At the Goeglein Road crossing of Bullerman Ditch, approximately 0.8 miles south

of S.R. 37

at Fort Wayne, St. Joseph Township, Allen County Section 26, T 31N, R 13E, Fort Wayne East Quadrangle

Quad Code: 4108511

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20175

Lake : Bruce Lake

Applicant : Jesse Simmons

1718 North 675 East

Kewanna, IN 46939-9018

Description : An area approximately 10' by 350' along the north side of an access channel will

be dredged. Approximately 5200 cubic yards of accumulated muck and debris will be removed from the channel bed by dredging to a maximum depth of 3' below the lake's legal level at the center of the channel and sloping uniformly to a depth of 1' or less at the shoreline. The excavated material will be transported to

an upland containment area for dewatering and disposal.

Details of the project are contained in information and plans received at the

Division of Water on June 27, 2005.

Location : 1688 North County Road 675 East, 1700 North County Road 675 East, 1710

North County Road 675 East, 1718 North County Road 675 East, and 1734 North

County Road 675 East adjacent to the public access site near Kewanna, Harrison Township, Pulaski County

NW1/4, SE1/4, NE1/4, Section 1, T 30N, R 1W, Kewanna Quadrangle

Quad Code: 4108614

UTM Coordinates: Downstream 4547517 North, 544389 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20183

Lake : Jimmerson Lake

Applicant : Marilyn Baker

7760 North Old 27

Fremont, IN 46737-9679

Description : A new seawall willb e constructed across 75 ft of applicants frontage on

Jimmerson Lake to prevent shoreline erosion into the lake bed . The wall will be constructed using Northstar Vinyl sheetpling anchored to deadmen 12' into the property from the shoreline with a maximum thickness of 6 inches. The wall will be placed at the the natural shoreline. Details of the project are contained in information received electronically at the Division of Water on July 5, 2005.

Location : 235 Lane 425, Buena Vista Park lots 18+19

near Angola, Steuben Township, Steuben County

Section 3, T 32N, R 11W

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20186

Lake : Snow Lake

Applicant : Gary M McCulloch

920 Lane 800 Snow Lake Fremont, IN 46737-8766

Description : A new underwater beach will be constructed in front of the property of the

applicant on Snow Lake to provide a suitable swimming area. The beach will consist of a 4" to 6" inch thick layer of 7/64 inch clean, washed pea gravel placed directly on the lakebed. The beach will begin approximately 25' west of the eastern property line and will extend west across 50' of the 100' frontage. It will have a maximum lakeward projection of 50' or a depth of 6' below the average normal level of the lake. Details of the project are contained in information

received electronically at the Division of Water on July 7, 2005.

Location : 105 Lane 800 Snow Lake

near Fremont, Jamestown Township, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20187

Lake : Silver Lake

Applicant : Jay E Fleischmann

845 South 355 West Angola, IN 46703

Description : A new underwater beach will be constructed in front of the property of the

applicant on Silver Lake to provide an area suitable for swimming. The beach will consist of a 12" to 18" thick layer of 7/64 inch clean, washed pea gravel placed directly on the lakebed. The beach will begin approximately 5' west of the western property line and will extend northerly across 35' of the 70' frontage. It will have a maximum lakeward projection of 30'. Details of the project are contained in information received at the Division of Water on July 7, 2005.

Location : The project will take place on the due East shore of Silver Lake located 3 miles

due West of downtown Angola, IN. The project will occupy 35 feet of the 70 feet

of frontage of lots seven and eight.

near Angola, Steuben Township, Steuben County

Section 29, T 37N, R 13E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11